




Bull Horn Arms are constructed of 2-3/8" OD (11G) steel tubing and are available at 10", 14" or 24" lengths. Bull Horn Pole Mounted Top (BH-PMT) arms are welded as one piece, ready to slip over a round pole or tenon with black plastic snap-in end

caps. Bull Horn Pole Mounted Clamped arms (BH-PMC) can be installed onto round or square poles, secured with 3/8" stainless steel Allen Set Screws. Consult with factory for a custom configuration. Hardware not included.



Bull Horn Wood Pole
BH-WP



Bull Horn Wall Mount
BH-WM



Project Name:

Type:

BULL HORN ARM ORDERING GUIDE

Cat#	Arm Length	Mounting	Pole Diameter	Color
Bull Horn Pole Mounted Top (BH-PMT) ¹	10" (10)	BH-PMT Single (SGL)	BH-PMT/BH-PMC 3" SQ (3S)	Bronze Textured (BRZ)
Bull Horn Pole Mounted Clamp (BH-PMC) ²	14" (14)	Double 90° (D90)	3-1/2" SQ (312S)	White Textured (WHT)
	24" (24)	Double 180° (D180)	4" SQ (4S)	Smooth White Gloss (SWT)
Bull Horn Wall Mount (BH-WM) ³		Triple 90° (T90)	4-1/2" SQ (412S)	Silver Metallic (SVR)
Bull Horn Wood Pole (BH-WP) ³		Triple 120° (T120)	5" SQ (5S)	Black Textured (BLK)
		Quad (QD)	5-1/2" (512S)	Smooth Black Gloss (SBK)
		BH-PMC Single (SGL)	2-3/8" OD (238R)	Graphite Textured (GPH)
		Double 180° (D180)	3" OD (3R)	Grey Textured (GRY)
		BH-WM Single (SGL) ³	3-1/2" OD (312R)	Green Textured (GRN)
			4" OD (4R)	Hunter Green Textured (HGN)
		BH-WP Single (SGL) ³	4-1/2" OD (412R)	Custom (CS)
			5" OD (5R)	
		BH-WP Single (SGL) ³	5-1/2" OD (512R)	
			BH-WM/BH-WP Wall Mount (WM) ³	

NOTES:


1. Welded as whole piece Arm + Adaptor
2. Allows Mid-Pole Mounting
3. Can not be Mounted Over a Pole



701 Kingshill Place, Carson, CA 90746
Call Us Today (310) 341-2037

nlsighting.com


PRODUCT SPECIFICATIONS




Bull Horn Pole Mounted Top (Double 180°)

BH-PMT

Clamp for Square Pole
*Standard plate 6" long





Clamp for Round Pole
*Standard plate 6" long



**Hardware not included*

Bull Horn Pole Mounted Clamp

BH-PMC



PRODUCT SPECIFICATIONS

EPA AND WEIGHT CHART

SGL - Single	EPA	Weight
BH-PMT-10-SGL	0.22	8.79
BH-PMT-14-SGL	0.25	9.75
BH-PMT-24-SGL	0.33	12.16

SGL - Single	EPA	Weight
BH-PMC-10-SGL	0.16	9.08
BH-PMC-14-SGL	0.20	10.05
BH-PMC-24-SGL	0.27	12.45

D180 - Double 180	EPA	Weight
BH-PMT-10-D180	0.33	12.33
BH-PMT-14-D180	0.40	14.26
BH-PMT-24-D180	0.55	19.07

D180 - Double 180	EPA	Weight
BH-PMC-10-D180	0.28	12.48
BH-PMC-14-D180	0.34	14.41
BH-PMC-24-D180	0.49	19.22

T90 - Triple 90	EPA	Weight
BH-PMT-10-T90	0.39	19.24
BH-PMT-14-T90	0.45	22.13
BH-PMT-24-T90	0.60	29.35

SGL - Single	EPA	Weight
BH-WM-10-SGL	0.11	6.73
BH-WM-14-SGL	0.15	7.72
BH-WM-24-SGL	0.22	10.13

QD - Quad	EPA	Weight
BH-PMT-10-QD	0.36	24.01
BH-PMT-14-QD	0.48	27.86
BH-PMT-24-QD	0.79	37.49

SGL - Single	EPA	Weight
BH-WP-10-SGL	0.11	5.25
BH-WP-14-SGL	0.15	6.23
BH-WP-24-SGL	0.23	8.64